



# Waveshuttle 56

**Luxury Sea Bus**

## **SPECIFICATION SHEET (V20071130)**

### **Basic Dimensions**

- Length : 56'3" (17.15m)
- Length Waterline : 44' (13.41m)
- Beam : 15'6" (4.72m)
- Draft : 3'9" (1.14m)
- Weight : 44000 lbs approx. (20 tons)
- Fuel capacity : 1050 US Gal. aluminum fuel tank
- Water capacity : 150 US Gal. aluminum water tank
- Max. recommended HP : 2 x 710 HP
- Max speed : 32 knots typ. (with 2 x 710 hp)
- Safety regulations : US Coast Guard Standards "MIC-XVA"
- : CE "Design Category - C"
- Max. no of persons on board : 52

### **Construction**

- The hull and deck are made out of a single piece GRP mould, built from combination of chopped strand mat, bi-directional knit fabric and balsa core hand-laminated under controlled temperatures with Isophthalic polyester resin.
- The hull and deck exterior have got mirror glaze gel-coat finish.
- On the deck balsa is replaced with plywood to support deck fittings.
- All materials used in the construction are approved marine quality.
- Basic hull colour : white

### **Hull & Deck**

- Bronze hull fittings
- Portholes
- Windows and windshields
- Stainless steel railing and hand rails
- Self drain anchor locker
- Boarding gates
- Cockpit door
- Deck cleats & fair leads
- D shaped rubber fender
- Deck hatch to crew cabin


**Wheel House**

- Entrance door from the walkways on both side
- Entrance door from seating area
- Console with all instruments and gauges
- Pilot seat
- Lockers
- Ceiling lights
- AC/AC electrical panel




**Bus Version**

Upper Deck



Bus Version



Saloon Version



**Interior lay-out and exterior top view**

**Seating Area**

- Upholstered adjustable seats with arm seat and leg rest
- Carpeted/rubber mat floor
- Overhead hanging storage space
- Ceiling lights
- Openable side windows
- Storage compartment under seating area
- Emergency access to engine room



**Saloon Version**

**Toilet in the Seating Area**

- Electric toilet

- Sink and faucet
- Teak floor
- Lockers
- Mirror

### **Crew Cabin**

- Upholstered two single beds
- Lockers
- Entrance hatch from deck
- Stainless steel ladder with teak steps
- Teak floor
- Ceiling lights

### **Cockpit**

- Steps to roof deck
- Boarding gates
- Hatch to generator compartment
- Self-draining non-skid cockpit floor
- Storage space for life jackets

### **Roof Deck**

- Steps to cockpit and forward deck
- Stainless steel railing
- Radar arch
- Non-skid floor
- Life raft storage

### **Other Standard Equipments**

- 1000 US gal. capacity fuel tanks
- 100 US gal. capacity water tanks
- Stainless steel railing & hand rails
- Deck cleats and fair leads
- Hydraulic steering system
- Soft leather interior, paneling & ceiling
- AC/DC distribution panel
- Bilge pump with auto float switch
- Fuel and water tank gauges
- Battery
- Life jackets
- Life buoys
- Battery charger
- Shore power sockets
- Anchor with chain



Toilet